471-000-3 Instructions for Completing Form DM-5H. "Physician's Report on Hearing Loss"

<u>USE</u>: Form DM-5H "Physician's Report on Hearing Loss" is required for consideration of authorization for hearing aid(s). The hearing aid specialist coordinates the completion of Form DM-5H. The form is completed by the Hearing Aid Specialist and the client's physician.

NUMBER PREPARED: One copy of form DM-5H is prepared.

COMPLETION:

The following fields are completed by the Hearing Aid Specialist. The remaining information is to be completed by the client's physician.

FRONT:

Patient Name: Enter the Medicaid client's full name (first name, middle initial, last name).

Age of Patient: Enter the Medicaid client's age.

History: Complete the history segment with information obtained from the Medicaid client and/or

caregiver.

Typed Name of Physician: Type the name of examining physician. (This field is located at the bottom

of the page.)

The physician completes the remaining fields on the front portion of the form, and signs and dates the front of the form.

BACK:

The back portion of the Form DM-5H is completed by either the examiner or the provider of the hearing aid. The following information must be on the back of Form DM-5H:

- 1. Patient name, complete eleven-digit Medicaid number and age;
- 2. The name of the examiner or dispenser performing the audiogram;
- 3. Stability of hearing loss and previous hearing aid information;
- 4. A complete audiogram (pure tone, air, bone, speech);
- 5. The hearing aid recommendation with estimated cost;
- 6. The hearing aid specialist's Business Name, phone number and e-mail address; and
- 7. The hearing aid specialist's eleven-digit Medicaid provider number.

NMAP SERVICES 471-000-3 Page 2 of 4

<u>DISTRIBUTION</u>: The Hearing Aid Specialist sends the DM-5H with a partially completed Form MC-9S (see 471-000-205) to:

Medicaid Division Department of Health and Human Services Finance and Support P.O. Box 95026 Lincoln, NE 68509-5026

Form DM-5H is retained in the Medicaid Division. Providers may wish to retain a photo copy of the form in their file.

To view printable form click here: Physician's Report of Hearing Loss

REV. JULY 1,2005 MANUAL LETTER # 66-2005 NEBRASKA HHS FINANCE AND SUPPORT MANUAL NMAP SERVICES 471-000-3 Page 3 of 4

FORM DM-5H	PHYSICIAN'S REPORT ON	HEARING LOSS	Nebraska Health and Human Services System				
Patient Name			Age of Patient				
		HISTORY	·				
Is there a history of? Dementia/Alzheir Visual Impairmen		onic Middle Ear Pathology erns					
Does the patient wear							
Other handicapping/me	edical conditions						
Does the patient have t how to care for a hearing		(remembers when to wear hea	ring aid, how and when to change batteries, and				
	<u> </u>	I No ring aid.? (Can place and remo	ove HA, replace batteries, adjust hearing aid).				
If no, does patient have Living arrangements Lives alone at ho	access to support services for these fu						
	то	THE PHYSICIAN					
The individual named advisability of providi	d above is a recipient of assistance. ng a hearing aid.	Medical findings on this forn	n will be used in determining the need and				
	PHYSIC	CIAN'S EXAMINATION					
Positive ear, nose and t	hroat findings:	7					
Diagnosis:			<u> </u>				
Do you feel a hearing a	id will help this patient? 🚨 Yes 🚨 N	No					
Recommendations and	/or comments:						
	·						
Date of Examination	Physicians License Number		·				
Typed Name of Physician		Sign Here	Signature of Examining Physician				

NEBRASKA HHS FINANCE AND SUPPORT MANUAL

NMAP SERVICES 471-000-3 Page 4 of 4

								ŀ	IEA	RIN	IG E	VA	LU/	AT	ON						
Patient Name					Medicald Number Previous HA Use g											Test Date	ľ	Name of Tester			
Stability of Hearing Loss																	Age of HAR		leason for Replacement		
☐ Stable ☐ Progressive ☐ Fluctuating																ating					
														٠			_				
												1	١	Ear	,	SRT		Word Recognition HL %			
	Frequency in Hertz (Hz)													-	Diska			-	HL	+-	76
		250	500	10	00	20	00	40	00	80	00			-	Right			_			
6	-10	· · · · · · · · · · · · · · · · · · ·	<u> </u>	-	Т		Γ				<u> </u>	1		١	Left						
HEARING THRESHOLD LEVEL (dB) (ANSI, 1996; Morgan, Dirks, Bower, 1979)	0			+	+		H	_			├			L			L				
عَ قِ	10			+	╁╌╡						\vdash										
2 S	20 –	_		 -	╁╌┊	-				_	-		l		Additiona	al Te	est Result	s/Com	ments:		
	30	_	_	- -	 		H	_			<u> </u>		·								
	40 -			-	╁╌┆		-				┝		1								
E E	50 -		\dashv					_			\vdash										
	60 _			- 	\vdash						L										
F 35 5 65	70		\dashv		1																
	80 _			<u> </u>			_											· · · ·			
HEARING THRESHOLD LEVEL (dB) NSI, 1996; Morgan, Dirks, Bower, 197	90 _			-				_													
∸ ₹	100		_		1_						Ш										
	110		-	+	 -∔			_			H								•		
	120 L			i	1	<u>.</u>	L i					١				•					
				750	150	Ю	300	Ю	600	00											
													l								
																				-	
																_				-	
								H	eari	ng A	ld F	eco	mm	er	ded						
Ear	Man	Manufacturer Model			el			Style			Technolo				Warrar (years			Damage ears)		Approx. Invo	
							O BTE			☐ Digita			امما	ble							
										☐ Progra			nal								
			+			十	۵	ВТ	<u> </u>	+	<u>ה</u>	igita	al al	_							
								ITE] A			nal	ole						
Provide	r Name:						- T	Ph	one	Nur	nber	:					Email	Address	3;		
			r:				:L														